

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|--|------------------|---------|------------------|
| L1 | 2 | "5870474".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 17:26 |
| S1 | 6993 | 713/150-153,160.ccls. or 709/201-202,230,236.ccls. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 17:26 |
| S2 | 2866 | S1 and @ad<"19991220" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:13 |
| S3 | 1466 | S1 and @ad<"19971220" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:13 |
| S4 | 33709 | (encod\$3 or pack\$3 or cod\$3 or encapsulat\$3) with (cryptograph\$7 or \$2crypt\$3 or \$2cipher\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:16 |
| S5 | 3166 | S4 and (encod\$3 or encapsulat\$3 or pack\$3) with (network or transport) with protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:16 |
| S6 | 36 | S5 and S3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:15 |
| S7 | 11756 | (encod\$3 or encapsulat\$3) with (cryptograph\$7 or \$2crypt\$3 or \$2cipher\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:16 |

| | | | | | | |
|-----|-------|---|--|----|----|------------------|
| S8 | 1117 | S7 and (encod\$3 or encapsulat\$3 or pack\$3) with (network or transport) with protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:16 |
| S9 | 22 | S8 and S3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:20 |
| S10 | 2 | encrypt\$2 adj network adj (protocol or format) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:21 |
| S11 | 26804 | multiple with encod\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:22 |
| S12 | 1607 | S11 and encrypt\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:22 |
| S13 | 643 | S12 and (encod\$3 with encrypt\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:22 |
| S14 | 204 | S13 and ((transport or network) with (protocol)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:25 |
| S15 | 14 | S14 and @ad<"19970627" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:25 |

| | | | | | | |
|-----|-------|---|--|----|----|------------------|
| S16 | 82 | (twice or multiple or double) with encod\$3 with ((transport or network) with (protocol)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:44 |
| S17 | 12 | S16 and @ad<"19970627" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:25 |
| S18 | 689 | (encrypt\$3 with encoded with (message or packet)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:44 |
| S19 | 151 | S18 and @ad<"19970627" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:44 |
| S20 | 27 | S19 and (network or transport) with (format or protocol) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:49 |
| S21 | 28104 | (triple or multiple) with encod\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:49 |
| S22 | 2759 | S21 and (network or transport) with (format or protocol) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:50 |
| S23 | 406 | S22 and @ad<"19970627" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 14:50 |

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| S24 | 19 | S23 and proxy | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:05 |
| S25 | 191 | hoffmann adj gerhard | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:05 |
| S26 | 1 | S25 and capellaro | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:40 |
| S27 | 0 | snmp with get with set with encrypt\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:40 |
| S28 | 103 | snmp with encrypt\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:42 |
| S29 | 96 | S28 and (get or set) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:40 |
| S30 | 37 | S28 and (get and set) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:40 |
| S31 | 0 | S28 and ((get and set) with (encipher\$3 or encapsulat\$3)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:41 |

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| S32 | 0 | S30 and @ad<"19970627" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:41 |
| S33 | 0 | S28 and @ad<"19970627" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:41 |
| S34 | 680 | snmp and @ad<"19970627" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:42 |
| S35 | 90 | S34 and (set adj (request or command)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:43 |
| S36 | 42 | S35 and (get adj (request or command)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:43 |
| S37 | 18 | S36 and (encrypt\$3 or authenticat\$3 or cryptograph\$6) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/01/05 15:43 |